

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20113	kobayashi.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:14
L2	34	kobayashi.in. and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:14
L3	0	kobayashi.as. and "725"/\$.ccls. and bonomi.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:15
L4	1	"725"/\$.ccls. and bonomi.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:34
L5	1	"6157809".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:35
L6	1	"20020053090".did. and restricted adj memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:39
L7	1	"20020053090".did. and user with memory	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:56
L8	1661	711/152,163.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:56
L9	452	711/152,163.ccls. and (exclusive)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 08:56
L10	18	711/152,163.ccls. and (exclusive) and (tv television)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:25
L11	1778	"725"/\$.ccls. and (user near2 (information data)) with (stor\$3 memory cache)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:28
L12	567	"725"/131-153.ccls. and (user near2 (information data)) with (stor\$3 memory cache)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:28
L13	245	"725"/131-153.ccls. and (user near2 (information data)) with (stor\$3 memory cache) same (transmi\$5 provider\$1 cable catv source satellite)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:33
L14	11	"725"/131-153.ccls. and (registration near2 (information data)) with (stor\$3 memory cache) same (transmi\$5 provider\$1 cable catv source satellite)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:35

L15	24	"725"/131-153.ccls. and (registration near2 (information data)) with (stor\$3 memory cache)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:40
L16	13	l15 not l14	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:35
L17	27	"725"/131-153.ccls. and ((user viewer) near2 account) with (stor\$3 memory cache)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:03
L18	29	Sitnik.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:52
L19	4	Sitnik.in. and philips.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 09:53
L20	8	"725"/131-153.ccls. and ((user viewer) near2 account) with (stor\$3 memory cache) same access	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:03
L21	168	"725"/131-153.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same access	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:05
L22	1	"725"/131-153.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access near2 unauthoriz\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:04
L23	1	"725"/\$.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access near2 unauthoriz\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:04
L24	37	"725"/131-153.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access with (source\$1 provider\$1 distribut\$5 transmi\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:17
L25	87	"725"/1-130.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access with (source\$1 provider\$1 distribut\$5 transmi\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:32
L26	318	Maillard.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:18
L27	0	Maillard.in. and thomson.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:18

L28	4	Maillard.in. and thomson.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:18
L29	91	"711"/\$.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access with (source\$1 provider\$1 distribut\$5 transmi\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:33
L30	22	"711"/152,163,170.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access with (source\$1 provider\$1 distribut\$5 transmi\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:39
L31	390	"705"/\$.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access with (source\$1 provider\$1 distribut\$5 transmi\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:54
L32	132	"705"/\$.ccls. and ((user viewer) near2 (information account info data profile)) with (stor\$3 memory cache) same (access with (source\$1 provider\$1 distribut\$5 transmi\$5)) and (tv television)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:43
L33	1	(US-6836799-\$).did.	USPAT	OR	OFF	2006/01/11 10:49
L34	1	(US-6836799-\$).did. and (memory storage cache)	USPAT	OR	OFF	2006/01/11 10:50
L35	0	(US-6836799-\$).did. and (memory storage cache) same (access restrict\$3 exclusive protected dedicated non-volatile permanent)	USPAT	OR	OFF	2006/01/11 10:51
L36	0	(US-6836799-\$).did. and (memory storage cache) same (secur\$3)	USPAT	OR	OFF	2006/01/11 10:51
L37	985	"705"/\$.ccls. and (exclusive secure restrict\$3) near2 (memory storage cache)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:54
L38	98	"705"/\$.ccls. and (exclusive secure restrict\$3) near2 (memory storage cache) and (tv television) same (program\$1 programming)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 10:58
L39	96	"705"/\$.ccls. and (exclusive secure restrict\$3) near2 (memory storage cache) and (tv television) same (program\$1 programming) and (receiv\$3 reception) and (process\$3 microprocessor cpu) same (memory storage cache)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 11:24

L40	3372	"725"/\$.ccls. and (distribut\$5 provider\$1 source\$1 transmi\$5) same (access) same (user viewer subscriber)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 11:27
L41	1066	"725"/\$.ccls. and (distribut\$5 provider\$1 source\$1 transmi\$5) with (access) same ((user viewer subscriber) with (account data info information))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 11:28
L42	301	"725"/\$.ccls. and (distribut\$5 provider\$1 source\$1 transmi\$5) with (access) same ((user viewer subscriber) with (account data info information)) same (receiver reception set adj top settop stb stt ird)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 11:31
L43	104	"725"/\$.ccls. and (distribut\$5 provider\$1 source\$1 transmi\$5) with (access) same ((user viewer subscriber) with (account data info information)) same (receiver reception set adj top settop stb stt ird) and @rlad<"20001001"	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 11:33
L54	137	"725"/\$.ccls. and (distribut\$5 provider\$1 source\$1 transmi\$5) same ((updat\$3 upgrad\$5) same (storage memory buffer cache hard adj dis\$1 rom prom eeprom) with (access\$5))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 11:58

L55	50	(US-20040103439-\$ or US-20030088872-\$ or US-20020056081-\$ or US-20040045031-\$ or US-20020044658-\$ or US-20050076357-\$ or US-20020056092-\$ or US-20050155056-\$ or US-20020073430-\$ or US-20040111742-\$ or US-20030188310-\$ or US-20030208756-\$ or US-20040163101-\$ or US-20050246752-\$ or US-20010005902-\$ or US-20030040962-\$ or US-20030135853-\$ or US-20040194131-\$).did. or (US-6704930-\$ or US-6820277-\$ or US-6807675-\$ or US-6005598-\$ or US-5225902-\$ or US-5657414-\$ or US-6446262-\$ or US-6314568-\$ or US-6810526-\$ or US-5999629-\$ or US-5579057-\$ or US-6005562-\$ or US-5710815-\$ or US-5850352-\$ or US-6029046-\$ or US-6571344-\$ or US-6425131-\$ or US-6601103-\$ or US-6836799-\$ or US-5781228-\$ or US-6477704-\$ or US-6657553-\$ or US-6005631-\$ or US-6725460-\$ or US-6148081-\$ or US-5973723-\$). did. or (US-5774170-\$ or US-6002393-\$ or US-5515098-\$ or US-5661516-\$ or US-6698020-\$ or US-6745223-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/01/11 12:47
L56	25	I55 and (regist\$6 profil\$3 user near3 (account data info information)) same (memory storage cache hard adj2 dis\$1 buffer rom ram eeprom prom)	US-PGPUB; USPAT	OR	OFF	2006/01/11 15:59
L59	11	"725"/\$.ccls. and (demographic\$2 generic) near4 (information data info) same (download\$3) same (receiver set adj top settop stb stt ird)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L61	52	"725"/\$.ccls. and (demographic\$2 generic) near4 (information data info) same (send\$3 sent transmi\$4 distribu\$5) same (receiver set adj top settop stb stt ird)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:22
L62	233	"725"/\$.ccls. and (profile) same (send\$3 sent transmi\$4 distribu\$5) same (receiver set adj top settop stb stt ird)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:22
L63	252	"725"/\$.ccls. and (profile) same (send\$3 sent transmi\$4 distribu\$5 deliver\$3) same (receiver set adj top settop stb stt ird)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:23
L64	95	"725"/\$.ccls. and (profile) same (download\$3) same (receiver set adj top settop stb stt ird)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:22
L65	45	"725"/\$.ccls. and (profile) same (download\$3) same (receiver set adj top settop stb stt ird) same (memory storage cache hard adj2 dis\$1 buffer rom ram eeprom prom)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:28
L66	82	"725"/\$.ccls. and (profile) same (send\$3 sent transmi\$4 distribu\$5 deliver\$3) same (receiver set adj top settop stb stt ird) same (memory storage cache hard adj2 dis\$1 buffer rom ram eeprom prom)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:28
L67	27	"725"/\$.ccls. and ((profile) with (download\$3) with (receiver set adj top settop stb stt ird)) and (receiver set adj top settop stb stt ird) same (memory storage cache hard adj2 dis\$1 buffer rom ram eeprom prom)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:34
L68	105	"725"/\$.ccls. and ((profile) with (send\$3 sent transmi\$4 distribu\$5 deliver\$3) same (receiver set adj top settop stb stt ird)) and (receiver set adj top settop stb stt ird) same (memory storage cache hard adj2 dis\$1 buffer rom ram eeprom prom)	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:16

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L75	44	l73 and ((user near4 (information data account)) with (send\$3 sent transmi\$4 distribu\$5 deliver\$3) same (receiver set adj top settop stb stt ird))	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:47
L76	6	l73 and ((user near4 (key)) with (send\$3 sent transmi\$4 distribu\$5 deliver\$3) same (receiver set adj top settop stb stt ird))	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:45
L77	25	"725"/\$.ccls. and tamper\$1resistant	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:47
L78	2	"725"/\$.ccls. and tamper\$1resistant with (memory storage cache)	US-PGPUB; USPAT	OR	OFF	2006/01/11 13:48
L79	3	(secure adj memory) with (user near4 (data information account identification identif\$5 info)) and "711"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:01
L80	61	(secure adj memory) with (user near4 (data information account identification identif\$5 info))	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:01
L81	37	(secure adj memory) with (user near2 (data information account identification identif\$5 info))	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:11
L82	581	(memory) with (key) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:11
L83	191	(memory) with (key) and "725"/131-153.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 14:11
L84	31325	((receiver set adj top settop stb stt ird) same (processor microprocessor cpu) same (storage memory ram rom eeprom prom cache hard adj2 dis\$1) and (tuner reception receiv\$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 14:17
L85	977	((receiver set adj top settop stb stt ird) same (processor microprocessor cpu) same (storage memory ram rom eeprom prom cache hard adj2 dis\$1) and (tuner reception receiv\$3)) and 725/131-153.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 14:17

L86	226	((receiver set adj top settop stb stt ird) same (processor microprocessor cpu) same (storage memory ram rom eeprom prom cache hard adj2 dis\$1) and (tuner reception receiv\$3)) and ((upgrad\$3 updat\$3) same (headend head adj end provid\$3 source\$1 distribut\$5) same (data program operating adj system os)) and 725/131-153.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 14:20
-----	-----	--	------------------------------	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L106	30	I55 and (id identifier identification) same (stor\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/11 16:42
L112	5	I55 and (priority same stor\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 16:35
L113	5	I55 and (id identifier identification) same (stor\$3) same (event\$1)	US-PGPUB; USPAT	OR	OFF	2006/01/11 16:43
L114	4	I55 and (event adj data) same (stor\$3)	US-PGPUB; USPAT	OR	OFF	2006/01/11 16:55
L115	30	(stor\$3) with (priority near4 level) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 16:56
L116	38	(stor\$3 cache memory) with (priority near4 level) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 17:35
L117	8	(stor\$3 cache memory) with (priority near4 code\$1) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 17:38
L118	469	(stor\$3 cache memory) with (priority) and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 17:38
L119	194	(stor\$3 cache memory) with (priority) and "725"/131-153.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 17:38
L120	15	(stor\$3 cache memory) with (priority) with (headend head adj end provider\$1 source\$1 distribut\$5) and "725"/131-153.ccls.	US-PGPUB; USPAT	OR	OFF	2006/01/11 17:39
L123	371455	(storage with (time duration capacity space limit\$6))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/11 17:59